



Minimum Fireplace Dimensions



Lava Burner with Glowfire™ Logs

Grand Canyon Gas Logs

3515 East Atlanta Avenue, Phoenix, Arizona 85040
602-344-4217 • grandcanyongaslogs.com

Minimum Fireplace Dimensions


Lava Burner		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
							HIGH	LOW	HIGH	LOW
		18"	28"	16"	18"	22"	40k	25k	40k	18k
		24"	34"	16"	24"	22"	55k	35k	55k	30k
		30"	40"	18"	30"	26"	75k	45k	75k	40k
		36"	46"	18"	36"	26"	85k	55k	85k	48k
2-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, EIS-N/L)		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
		18"	30"	14"	18"	14"	52k		49k	
		21"	33"	14"	21"	14"	58k		58k	
		24"	36"	14"	24"	14"	64k		64k	
		30"	42"	16"	30"	14"	76k		79k	
		36"	48"	16"	36"	14"	81k		83k	
		42"	54"	16"	42"	14"	86k		87k	
		48"	60"	16"	48"	16"	150k		145k	
		60"	72"	16"	60"	16"	175k		165k	
2-Burner with controls (MVKEIKN/LP)		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
		18"	36"	14"	24"	14"	52k		49k	
		21"	39"	14"	27"	14"	58k		58k	
		24"	42"	14"	30"	14"	64k		64k	
		30"	48"	16"	36"	14"	76k		79k	
		36"	54"	16"	42"	14"	81k		83k	
		42"	60"	16"	48"	14"	86k		87k	
3-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
		18"	30"	14"	18"	16"	46k		41k	
		21"	33"	14"	21"	16"	58k		58k	
		24"	36"	14"	24"	16"	74k		64k	
		30"	42"	16"	30"	16"	102k		91k	
		36"	48"	16"	36"	16"	111k		106k	
		42"	54"	16"	42"	16"	120k		121k	
Jumbo Slimline-Burner with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
		24"	36"	21"	24"	30"	103k		95k	
		30"	42"	21"	30"	30"	112k		110k	
		36"	48"	21"	36"	30"	150k		145k	
		42"	54"	21"	42"	30"	165k		160k	
		48"	60"	21"	48"	30"	195k		190k	
		60"	72"	21"	60"	30"	230k		225k	
Jumbo-Burner with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, EIS-N/LP)		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
		36"	48"	24"	36"	30"	150k		145k	
		42"	54"	24"	42"	30"	165k		160k	
		48"	60"	24"	48"	30"	195k		190k	
		60"	72"	24"	60"	30"	230k		225k	
		72"	84"	24"	72"	30"	240k		230k	
		84"	96"	24"	84"	30"	270k		240k	
		96"	108"	24"	96"	30"	300k		275k	
		108"	120"	24"	108"	30"	350k		325k	
		120"	132"	24"	120"	30"	500k		450k	
Bedrock Vented Linear Drop-in Burner		MINIMUM FIREPLACE SIZES								
		SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG		BTU RATING LP	
		24"	24"	15"	24"	20"	30k/20k		30k/15k	
		36"	36"	15"	36"	20"	45k/30k		45k/20k	
		48"	48"	15"	48"	20"	60k/40k		60k/30k	
		60"	60"	15"	60"	20"	75k/50k		75k/40k	
		72"	72"	15"	72"	20"	90k/60k		90k/50k	
		84"	84"	15"	84"	20"	105k/70k		105k/55k	
		96"	96"	15"	96"	20"	120k/80k		120k/60k	

Minimum Fireplace Dimensions

KIVA-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKN-NG/LP, MVKEIKN/LP, EIS-N/L)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	24"	12"	12"	18"	45k	35k
	24"	30"	12"	18"	18"	52k	49k
	30"	35"	12"	21"	18"	65k	64k
Glass T/H-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKN-NG/LP, EIS-N/L)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	30"	14"	18"	10"	52k	49k
	21"	33"	14"	21"	10"	58k	58k
	24"	36"	14"	24"	10"	64k	64k
	30"	42"	16"	30"	10"	76k	79k
	36"	48"	16"	36"	10"	81k	83k
	42"	54"	16"	42"	10"	86k	87k
	48"	60"	16"	48"	10"	150k	145k
	60"	72"	16"	60"	10"	175k	165k
Glass T/H-Burner with controls (MVKEI/LP)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	36"	14"	24"	10"	52k	49k
	21"	39"	14"	27"	10"	58k	58k
	24"	42"	14"	30"	10"	64k	64k
	30"	48"	16"	36"	10"	76k	79k
	36"	54"	16"	42"	10"	81k	83k
	42"	60"	16"	48"	10"	86k	87k
2-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKN-NG/LP, EIS-N/L)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	30"	14"	30"	14"	103k	93k
	24"	36"	14"	36"	14"	118k	100k
	30"	42"	16"	42"	14"	128k	115k
	36"	48"	16"	48"	14"	135k	125k
	42"	54"	16"	54"	14"	140k	130k
	48"	60"	16"	60"	16"	150k	145k
	60"	72"	16"	72"	16"	175k	165k
2-Burner See Through with controls (MVKEIKN/LP)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	36"	14"	36"	14"	103k	93k
	24"	42"	14"	42"	14"	118k	100k
	30"	48"	16"	48"	14"	—	115k
	36"	54"	16"	54"	14"	—	125k
	42"	60"	16"	60"	14"	—	130k
3-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKN-NG/LP, MVKEIKN/LP, EIS-N/L)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	30"	14"	30"	16"	103k	93k
	24"	36"	14"	36"	16"	118k	100k
	30"	42"	16"	42"	16"	128k	115k
	36"	48"	16"	48"	16"	135k	125k
	42"	54"	16"	54"	16"	140k	130k
Jumbo-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKN-NG/LP, MVKEIKN/LP, EIS-N/L)	MINIMUM FIREPLACE SIZES						
	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	24"	36"	26"	36"	30"	103k	95k
	30"	42"	26"	42"	30"	112k	110k
	36"	48"	26"	48"	30"	165k	155k
	42"	54"	26"	54"	30"	185k	170k
	48"	60"	26"	60"	30"	210k	195k
	60"	72"	26"	72"	30"	250k	235k



Size, Log, Burner, Controls, and Accessories.



Thank you for choosing Grand Canyon Gas Logs, we appreciate all our customers and hope you have many years of enjoyment of our products.

Take a look at our other products from our RPG Brands family of companies.

